November 2026

G.D.I. Tools®







# TOOL CATALOG



## PROFESSIONAL TOOLS & ACCESSORIES

Automotive | Commercial | Residential

Paint Protection | Wraps | Vinyl & Graphics

# CONTENTS


KNIVES & BLADES 1



HARD CARDS 25




SCRAPERS & BLADES 4



INSTALLATION ACCESSORIES 26



HANDLED SQUEEGEES 6



MEASURE/MARK & TRIM 28



SAFETY & SECURITY 13



SPRAYERS & ACCESSORIES 29



SQUEEGEE ESSENTIALS 14




CLEANING/PREP & CHEMICALS 30




PPF/WRAPS/VINYL & GRAPHICS 18



SLITTERS & ACCESSORIES 33




TUBE SQUEEGEES 23



METERS 34



# KNIVES & BLADES

## STANDARD 9MM KNIVES



**GT126 OLFA "SILVER" SS KNIFE**
The original Olfa stainless steel knife.



**GT027 NT PRO A1 "RED DOT" KNIFE**
Regarded by many installers as the finest professional knife available. The blade can be advanced in 1/2 segment increments for precision control. Right or left hand use. Now includes a stainless steel blade.



**GT127 OLFA A1 KNIFE**
Used for film pattern cutting and trimming. Features a molded plastic handle for maximum control and comfort. Right or left hand use.



**GT226 OLFA "SILVER 2" KNIFE**
Significantly improved over the original "Olfa Silver". Features right or left handuse, blade position auto-lock, and one-segment click-action.



**GT1018 NT A250RP AUTO-LOCK KNIFE**
Chemical-resistant and heat-resistant polypropylene grip. Ratchet auto-lock slider locks blade in place while cutting. Right or left hand use.



**GT227 OLFA XA1 ERGONOMIC KNIFE**
This ergonomically correct knife features a comfortable rubber grip for better control and less fatigue.



**GT1054 NT A300GR KNIFE**
All-purpose standard duty utility knife with stainless steel sliding holder and sturdy aluminum die cast grip for long lasting use. Ratchet auto-lock slider locks blade in place while cutting. End cap also functions as a blade snapper. Designed for either left or right handed use with simple reversal of blade.



**GT124 PLASTIC UTILITY KNIFE**
Used for film pattern cutting and trimming.

**NOTE**
All knives include a carbon steel blade except the GT126, GT226 & GT027 which include a stainless steel blade.

# KNIVES & BLADES

## STANDARD 9MM BLADES

GT115





GT116

**GT115 OLFA AB10S STAINLESS STEEL SNAP BLADES**
Pack of 10. The industry standard when it comes to snap blades for film and pattern cutting. Thirteen cutting edges per blade. Use in most standard duty knives.

**GT116 OLFA AB50S STAINLESS STEEL SNAP BLADES**
Pack of 50.

GT123



GT1031

**GT123 OLFA AB50B CARBON SNAP BLADES**
Standard carbon snap blades with superior sharpness and edge retention. This 9mm blade fits most standard duty knives and has 13 cutting edges per blade. Pack of 50.

**GT1031 OLFA ULTRAMAX ABB50B CARBON SNAP BLADES**
These blades are double-honed for extreme sharpness and are 25% sharper than the standard duty carbon blade. Eight cutting edges per blade, 50 blades per pack. Fits most standard Olfa knives.



**GT1020 NT BA50SS STAINLESS STEEL SNAP BLADES**
Stainless steel snap blades from the makers of the "Red Dot" knife. Use in 9mm and multi-blade cartridge knives. Pack of 50.



**GT2167 NT BA-160 LIGHT DUTY SPARE BLADES 10PK**
Keep your knife performing at its best with NT BA-160 Light Duty Spare Blades. Manufactured in Japan from premium carbon tool steel, these 9mm snap-off blades are engineered to deliver exceptional sharpness, clean cuts, and long-lasting performance for professional and everyday applications.

## 30° KNIFE & BLADES



**GT1051 OLFA SAC1 KNIFE**
Slim stainless steel body with a 30° angle blade for precision in pattern cutting. Great for graphics and paint protection. Use GT1052 or GT2100 replacement blades.



**GT1052 OLFA A1160B 30° CARBON BLADES**
Standard duty acute angle snap-off blade for use when precision is a must. Seven cutting edges per blade strip. Pack of 10.



**GT2100 BAD21P 30° BLADE 10PK**
NT BAD-21P 30° blade. 10 blades per pack, Carbon. Fits GT1051, GT026N and GT027.




**GT2147 NT BD-2000 30° BLACK SNAP OFF BLADES 100 PK**
NT BD-2000 30° Black Snap-Off Blades deliver professional-grade performance. Manufactured in Japan from premium black carbon tool steel, these ultra-sharp blades are engineered for clean, controlled cuts and extended edge life. The 30-degree tip provides exceptional accuracy for intricate trimming, making these blades a favorite among professionals working with window tint, paint protection film (PPF), vinyl wrap, graphics, decals, and other fine-detail applications. The convenient storage dispenser holds 100 blades and includes a built-in blade snapper for safe and easy blade changes.

# KNIVES & BLADES

## 8PT HEAVY-DUTY KNIVES & BLADES



**GT1019 NT L500GRP KNIFE**
NT heavy-duty knife with ratchet auto-lock slider which locks the blade into place while cutting. Blade storage in handle. Use with 7 mil or greater films.



**GT112 OLFA LBB50B ULTRAMAX 8PT BLADES**
Replacement blades for GT1019 heavy-duty knives. Triple- honed for extremely sharp edge. Ideal for cutting thick films, 7 mil or greater. Pack of 50.



**GT1021 BL50P BLADES**
Heavy-duty NT blades for use with the GT1019. Pack of 50.

## MULTI-BLADE CARTRIDGE KNIVES



**GT026N NT A553P INJECTOR CARTRIDGE KNIFE**
Now comes with two 30 degree blades installed but will accommodate standard 9mm blades as well. Used for film pattern cutting and trimming. Holds up to five blades for automatic blade replacement capabilities.



**GT984 NT A1000RP KNIFE**
Cartridge cutter with aluminum die-cast grip. Cartridge holds up to 5 blades.



**GT114 OLFA PA2 PRO-LOAD KNIFE**
Holds up to five blades at a time giving you 65 new cutting segments per load.

**ANY BLADE CAN CUT OR SCRATCH GLASS!**

It depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!

### TOOL TIP

Try the most popular knife and blade option for the various applications:

- Automotive/Residential Window Films use GT126/GT027 (pg. 1) and GT116/GT1020 (pg. 2)

- Paint Protection use GT1051 and GT1052 (pg. 2)

- Vinyl Graphics use GT026N/GT114 and GT123 (pg. 2)

- Safety and Security Films use GT1019 and GT112 (pg. 3)

# SCRAPERS & BLADES

## 6" SCRAPERS & BLADES



**GT107 6" TRIUMPH SCRAPER**
Lightweight and maneuverable. Includes cover and one double edged blade



**GT107A 6" ANGLED TRIUMPH SCRAPER**
The handle is tilted at a 30° angle. Includes cover and one double edged blade.



**GT107PC 6" TRIUMPH SCRAPER WITH SLIDE COVER**
This is the new and improved version of the slide covered Triumph. With a bigger button and smoother action, the cover easily opens and closes with no hassle. No more fumbling with a separate blade cover while doing ladder work. Great for regular window cleaning, but not recommended for stripping off old film.



**GT983 6" ERGONOMIC TRIUMPH SCRAPER**
An improved version of the angled 6" Triumph scraper with a more comfortable grip. Includes cover and one double edged blade.



**GT983A 6" ANGLED ERGONOMIC TRIUMPH SCRAPER**
An improved version of the standard 6" Triumph scraper with a more comfortable grip and tilted handle. Includes cover and one double edged blade.




**GT106 6" RED HEAVY-DUTY**
Scraper ideal for film removal. Includes cover and one double edged blade. Use GT110 as replacement blades.

**GT110 TRIUMPH HEAVY-DUTY CARBON BLADES**
Replacement blades for the Red Heavy-Duty Triumph Scraper (GT106). This thicker blade (0.40 mm) offers greater strength for those tough jobs. Pack of 10.




**GT38-32 6" TRIUMPH BLADE TRACK**
Replacement 6" blade track for Triumph scrapers. Secures the blade in the scraper.



**GT108 6" TRIUMPH CARBON BLADES**
Carbon steel offers strong capable scraping that lasts longer than stainless steel blades but rust more easily. Use these blades for scraping adhesive and other debris from glass surfaces. Double edged for more scraping per package. These blades fit any of the standard 6" Triumph Scrapers. (0.20 mm x 6") Pack of 25.



**GT108SS 6" TRIUMPH STAINLESS STEEL BLADES**
Long lasting rust resistant stainless steel blade. Perfect for removing adhesive and other debris from glass surfaces. The double edge blade offers you more scraping than other blades. (0.15 mm x 6") Pack of 25.



**GT108SS-HD 6" TRIUMPH STAINLESS STEEL HEAVY-DUTY BLADES**
This rust resistant stainless steel blade is thicker and stronger than the standard 6" Triumph Stainless Steel Blades. A must have for those tough film removal jobs. A new product exclusively for the tinting industry. A must have for all residential and commercial installers. (0.20 mm x 6") Pack of 25.

**NOTE**
All scrapers are packaged with a carbon blade.

# SCRAPERS & BLADES

## 4" SCRAPERS & BLADES

**GT104 4" SCRAPER WITH EXTENDED HANDLE**
4" scraper with extended handle allowing for better leverage. Use with GT105 or GT1007 as replacement blades. Blade cover included.






**GT105 4" CARBON SCRAPER BLADES** Fits the GT104. (0.017mm x 4") Pack of 10.

**GT1007 4" CARBON SCRAPER BLADES** Fits the GT104. (0.017mm x 4") Pack of 100.

## 3" SCRAPERS & BLADES



**GT210 3" TRIUMPH SCRAPER**
Smaller version of the regular Triumph. Designed to fit perfectly into corners.



**GT211 3" TRIUMPH CARBON BLADES**
Use in 3" Triumph Scraper (GT210). (0.20 mm x 3") Pack of 10.

### TOOL TIP

Plastic razor blades are the most effective way to safely prep automotive glass. Although the blades are plastic, proceeding with caution is always a good idea.

## 1" SCRAPERS & BLADES



**GT109 1" CLIP SCRAPER**
These effective scrapers will accommodate standard or stainless steel 1" single edge blades as well as GT139 plastic razor blades. Try the Lil Chizler in these handles for more leverage.




**GT138 HEAVY-DUTY 1" RAZOR SCRAPER**
**GT138HYDE HYDE 1" RAZOR SCRAPER**
Retractable safety scraper; intermediate blade position keeps the blade from sliding out while in use.




**GT212 1" NEON MINI SCRAPER**
Holds 1" single edge blade.
Use with GT140, GT140-12 & GT137.

**GT994 BIG BLADE**
Jumbo size plastic razor blade perfect for cleaning & film removal.
(3" x 4")




**GT140 #9 1" SINGLE EDGE BLADES**
Use in any 1" blade holder. #9 Carbon steel single edge blade, non-rust aluminum back. (.009"/.2286 mm) Pack of 100.

**GT140-12 #12 1" SINGLE EDGE BLADES**
Use in any 1" blade holder. #12 Carbon steel single edge blade, non-rust aluminum back. (.012"/.3048 mm) Pack of 100.



**GT137 1" SINGLE EDGE STAINLESS STEEL BLADES**
Use in any 1" blade holder. Stainless steel, uncoated. (.009"/.23 mm) Pack of 100.




**GT2023 SCRAPERITE PLASTIC RAZOR BLADES**
These plastic razor blades are double edged and safe for glass. Great for removing adhesives from window films and vinyl decals. Pack of 100 blades.

**GT139 PLASTIC RAZOR BLADES** Perfect for removing leftover film and adhesive from surfaces that are easily damaged, such as rear window defrosters or other sensitive glass. Pack of 100.

# HANDLED SQUEEGEES




**GT050 UNGER PRO (LATCH) HANDLE**
The original Unger Pro Handle. For use with the GT053, GT054, GT055 or GT056 stainless steel channels with black rubber for cleaning or blue replacement blades (GT118) for installation.

**GT050E UNGER ERGOTEC (SPRING) HANDLE**
Features a spring mechanism for quick blade changing and a finger indent on the top of handle for complete control. For use with GT053, GT054, GT055 or GT056 channels with black rubber for cleaning or blue (GT118) for installation.



**GT050A UNGER (SCREW) HANDLE**
A modified Unger handle that has proven results for maximum water extraction. For flat glass applications use with the new Extruder channels (GT252 & GT253). The handle also works excellent with Super Clear Max, Blue Max and Orange Crush Squeegees.




**GT056 18" SQUEEGEE & CHANNEL**
**GT055 12" SQUEEGEE & CHANNEL**
**GT053 6" SQUEEGEE & CHANNEL**
Stainless steel channel and soft rubber squeegee blade insert for use with the Unger Pro Handle (GT050 or GT050E). Used in the flat glass cleaning process and in the final cleanup after the film installation to remove soap streaks or smudges.




**GT045N 140" SQUEEGEE BLADE**
**GT048N 12" SQUEEGEE BLADE**
**GT049N 18" SQUEEGEE BLADE**
Replacement blades for Unger squeegee channel. Use for window cleaning, not installation.




**GT1001-36 UNGER 36" HARD REPLACEMENT BLADE**
Hard replacement rubber is ideal for warmer working conditions and for optimum liquid removal on large, flat surfaces.





**GT252 6" EXTRUDER CHANNEL**
**GT253 8" EXTRUDER CHANNEL**
This channel works in your existing Unger handle or the GT050A. It is designed to give your squeegee blade added stiffness and a better angle to aid in laying down the film and extracting more water per squeegee pass. Use GT118, GT2107 or GT2108 squeegee material.




**GT2107 120" FUSION ORANGE CHANNEL REFILL**
**GT2108 120" FUSION BLUE CHANNEL REFILL**
Fusion Orange Channel squeegee is 85 durometer and Fusion Blue Channel Squeegee is 94 durometer. Easily cut the roll to the channel.




**GT118 BLUE SQUEEGEE REFILL (6", 8", 12", 18" OR 120" ROLL)**
Use in the Unger squeegee channel as a finishing squeegee for maximum water removal. Replacement blade for GT207. Use with GT252 or GT253 Extruder Channels.90 durometer




**GT208 SIDE SWIPER HANDLE ONLY**
**GT207 SIDE SWIPER WITH BLADE**
A great tool for the lower edge of rear windows and behind brake lights. Use 6" of GT118, GT2107 or GT2108 as a replacement blade.




**GT081 SHORT-CUT**
Short-Cut is a revolutionary tool designed for reaching deep into the window edge past the dot matrix. Extraordinary rigidity, excellent grip, but still nice and compact.



# HANDLED SQUEEGEES




**GT062 6" PRO SQUEEGEE DELUXE**
**GT064 8" PRO SQUEEGEE DELUXE**
An installation squeegee as a ready-to-use assembly. Used to remove application solution during the installation of all flat glass film types.




**GT061 8" PRO SQUEEGEE BLADE**
**GT063 6" PRO SQUEEGEE BLADE**
Replacement blade to Pro Squeegee Deluxe (GT064 or GT062) used as a means of removing application solutions from beneath the film during the installation of all flat glass film types. Square edge.




**GT059 8" FLATFOOT SQUEEGEE BLADE**
**GT069 6" FLATFOOT SQUEEGEE BLADE**
Specially angled blades for the Pro Squeegee Deluxe (GT062 or GT064). The angle is designed to maximize the surface area in contact with the film, thereby removing much more mounting solution than a standard Pro blade with a square edge. Beveled edge.



**GT040 SLIM FOOT**
Modeled after the Big Foot Squeegee, the Slim Foot has a slender design that can reach into tighter openings. This no rib squeegee helps reach behind brake lights and has a rubber grip for secure handling. Measures 15" from blade tip to handle end.



**GT034 WHALE TAIL SQUEEGEE**
Great for getting behind brake lights and back window applications.

**GT035 WHALE TAIL REPLACEMENT BLADE**

**GT036 WHALE TAIL HANDLE**



**GT1042R TITAN SQUEEGEE-RED**
The Titan is made with the same plastic used to make bullet proof glass. This allows more strength and rigidity. The overall length is 14 3/4" which allows a longer reach for rear windows and its unique design will easily lift inner and upper door seals.




**GT205 THE BULLDOZER I - AUTOMOTIVE**
Allows you to get to those hard to reach areas, such as behind speakers, brake lights, low angles and rear windows. Features a 6" squeegee blade and is 15" in overall length.

**GT206 THE BULLDOZER II - FLAT GLASS**
Features reinforced ribs on the back side for extra rigidity and leverage. Includes 6" squeegee blade and is 15" in overall length. The Bulldozer Squeegees have a new rubber compound for less slip resistance, a flatter blade for better water extraction and added plastic under the blade corners for additional strength.



**GT985 PERFORMAX HANDLE**
Ideal for water extraction when used with GT117, GT117B, GT203 or GT257. Features a socket that accepts standard broom or paint roller extensions. This allows installers to get more leverage.



**GT178 THE REACH TOOL**
This tool is designed to effectively squeegee water from the most difficult places to reach. THE REACH allows you to squeegee water from the bottom of the back window or windshield with ease.

THE REACH is made with a special formulated plastic and rubber in order to achieve the necessary stiffness and durability of its four edges. This tool is 16 3/4 inches in length, and built with a double rubber blade on each side. One side of the tool provides an excellent grip, while the other side uses both edges to squeegee the water out; one pushes the water and the other drags the water. This tool is completely adaptable with two different radiuses of curvature at each side; in other words, one side is stiffer than the other.

# HANDLED SQUEEGEES

GT037



**GT037 FUSION HANDEE TOOL**
**GT037 ORANGE FUSION HAND JOB- ORANGE**
**GT037 YELLOW FUSION HAND JOB- YELLOW**
The Fusion Hand Dee Tool is a MAGNETIC handle that can accommodate any 5" squeegee. Equipped with a removable "jaw" and a rounded grip to fit perfectly in your hand. The Orange or Yellow colors make keeping up with the handle easy!

GT037O



GT037Y



GT204 ■■



**GT204 SUPER CLEAR MAX SQUEEGEE WITH HANDLE**
Ready-to-use installation squeegee. The specially modified Unger handle makes these installation squeegees must haves. The handle is sold separately as GT050A. Replacement blades are available as part number GT203A.

GT203 ■■



GT203A ■■

**GT203 5" SUPER CLEAR MAX SQUEEGEE**
**GT203A 5" CROPPED SUPER CLEAR MAX SQUEEGEE**
Clear Max is a flexible squeegee perfect for back window installations.

GT939 ■




**GT939 5" PINK CLEAN**
Pink Clean is a 5" Cropped squeegee blade. The softest blade from Fusion Tint Tools. This blade is specifically designed with cleaning in mind. It is recommended to use the Pink Clean squeegee blade to easily remove liquids with minimal pressure applied by the user.

GT2102 ■■




GT2103 ■■




**GT2102 5" CLEAR CRUSH SQUEEGEE**
**GT2103 5" CROPPED CLEAR CRUSH SQUEEGEE** The Clear Crush is a squeegee blade designed for users that prefer the flexibility of a soft squeegee but with the stiffness of a harder squeegee. This blade is the best of both worlds. Soft enough to squeegee curved surfaces without having to apply too much pressure but stiff enough to push or pull solution away from the job at hand.

GT117B ■■■■




GT117 ■■■■




GT117A ■■■■




GT117-8 ■■■■




**GT117B FUSION 5" BLUE MAX SQUARE (NO BEVEL)**
Ideal for installing security film.

**GT117 FUSION 5" BLUE MAX-SINGLE BEVEL**
**GT117A FUSION 5" CROPPED BLUE MAX**
Installation squeegee for automotive and flat glass applications. Great for water removal. GT117A has cropped sides with a beveled edge.


**GT117-8 FUSION 8" BLUE MAX SQUEEGEE**
The 8" Fusion Blue Max is perfect for flat glass installs! Use this blade in the 8" Fusion Handle (GT1046) or 8" Fusion Stretch Handle (GT058) for great water extraction.



# HANDLED SQUEEGEES




**GT2148 5" SLEDGEHAMMER SQUEEGEE**
5" squeegee blade with a 93 durometer. Great for maximum water extraction. Sledgehammer is known for its longevity against wear and tear.




**GT2101 5" HYBRID SQUEEGEE**
On one side the Hybrid is an Orange 85 durometer squeegee blade and on the other side a harder Blue 95 durometer. This dual blade features double beveled working edges.

GT018

GT018A




**GT018 5" STANDARD BLUE BEAST SQUEEGEE BLADE**
**GT018A 5" CROPPED BLUE BEAST SQUEEGEE BLADE**
The Blue Beast Squeegee Blade is harder than Orange Crush and softer than Yellow Flat out at a durometer of 93. These squeegee blades are made with a self lubricating urethane and features a beveled edge.

GT259

GT257

GT258




**GT259 8" ORANGE CRUSH**
**GT258 5" CROPPED ORANGE CRUSH**
**GT257 5" ORANGE CRUSH**
These blades help expel water while keeping their strength. The Orange Crush conforms to curved glass. Blades fit into a handled grip or can be used alone.

GT2109

GT2110




**GT2109 FUSION BLUE STROKE BLADE**
**GT2110 FUSION ORANGE STROKE BLADE**
Fusion Blue and Orange Stroke Blades fit the Stroke Doctor handle (GT1022). Blue is 94 durometer while the Orange is softer at 85.

GT1022

GT1022B



**GT1022 STROKE DOCTOR**
**GT1022B STROKE DOCTOR REPLACEMENT BLADE**
Designed with an I-beam construction handle that features an ergonomic slip-resistant grip and longer blade to apply squeegee pressure more evenly in the most hard to reach places.



# HANDLED SQUEEGEES













**GT1046 8" FUSION HANDLE**
Ideal handle for all residential and commercial applications. Holds any 1/4" thick squeegee blade.













**GT1047 5" FUSION HANDLE**
**GT1047 ORANGE 5" FUSION HANDLE ORANGE**
**GT1047 YELLOW 5" FUSION HANDLE YELLOW**
**GT1058 5" FUSION HANDLE - SHORT HANDLE**
**GT1058S 5" FUSION SHORTY HANDLE**
**GT1058S ORANGE 5" FUSION SHORTY HANDLE ORANGE**
**GT1058S YELLOW 5" FUSION SHORTY HANDLE YELLOW**
These handles are designed to optimize your leverage in removing mounting solution. Great for high performance automotive films and smaller residential windows. These handles accommodate any standard 5" wide squeegee blade. Fusion Shorty has the same handle length as GT1058 but without the collar. The Orange and Yellow versions offer higher visibility.




**GT122 FUSION 5" CROPPED BLUE MAX WITH HANDLE**
Ready-to-use installation squeegee. The specially modified Unger handle makes these installation squeegees must haves. The handle is sold separately as GT050A. Replacement blades are available as part number GT117A.




**GT260 5" YELLOW FLAT OUT BLADE**
**GT260A 5" CROPPED YELLOW FLAT OUT BLADE**
**GT261 8" YELLOW FLAT OUT BLADE**
The Yellow Flat Squeegees are available in both 5" and 8" widths. Slightly harder than the Orange Crush, they work great in flat glass and security applications. For best results try in a Fusion Handle, Fusion Stretch series or Thor's Hammer.





**GT017 PINK PINK CLEAN PRODIGY HANDLE** (85 durometer)
**GT017 ORANGE ORANGE CRUSH PRODIGY HANDLE** (92 durometer)
**GT017 BLUE BLUE BEAST PRODIGY HANDLE** (93 durometer)
**GT017 YELLOW YELLOW FLAT OUT PRODIGY HANDLE** (95 durometer)
The Prodigy Handle is molded around the Fusion 5" cropped squeegees with a 3" grip. These handles are an economic starting point for the industry. The squeegee and the handle are one unit. Simply replace the entire tool when the squeegee is worn out.



**Squeegee blade not included.**

**GT272 FUSION AUTO STRETCH HANDLE**
The Fusion Auto Stretch is an innovative upgrade to the popular Fusion Shorty 5" Handle. Measuring 12 inches long and designed without a thump grip, it allows users to reach closer to the bottom of deck lids and dashboards with ease. Ideal for large windows and compatible with any 5" squeegee blade.

# HANDLED SQUEEGEES




**GT2149B STANDARD QUARTER PRO REPLACEMENT BLADES(SET)**
**GT2149CB CROPPED QUARTER PRO REPLACEMENT BLADES(SET)**
**GT2149RB REDLINE QUARTER PRO REPLACEMENT BLADES (SET)**
Replacement blades for the Quarter Pro Handle Set made from the ever popular Red Line material. One regular and one cropped blade.

**GT2149 FUSION QUARTER PRO HANDLE SET**
These little handles accommodate miniature squeegee blades to help with the smallest windows. Hard-to-reach quarter windows on automotive installs and small French panes in architectural film are a breeze with a tool specifically designed to knock out the job. The Quarter Pro Handles accommodate a 1 inch razor blade as well! Simply switch out the handle jaw for the special razor blade jaw to get a grip on your 1 inch razors.

The Quarter Pro Handles come as a set which includes one Quarter Pro Handle (4.75 inches or 12.06 cm long), one Quarter Pro Stretch Handle (7 inches or 17.78 cm long), two soft orange squeegee blades, two hard blue squeegee blades, one squeegee blade handle jaw and one razor blade handle jaw. Both handles have a 1.5 inch (3.81 cm) wide squeegee jaw. The cropped squeegees included in the set are 2.5 inches (6.35 cm) wide by 0.75 inch (1.9 cm) and the square squeegees included in the kit are 1.75 inches (4.44 cm) by 0.75 inch
(1.9 cm).




**GT2056B GO DOCTOR BLUE (HARD)**
**GT2056Y GO DOCTOR YELLOW (FLEX-FIRM)**
**GT2056R GO DOCTOR RED (SOFT)**
A fully integrated squeegee system where all of the components have been designed together, to work together. The I-beam handle fits comfortably in your hand. The I-beam handle is wrapped with a comfortable, non-slip material that provides secure grip. Go Doctor incorporates a quick-change blade system for speedy on the job replacements.




**GT2057B GO DOCTOR BLUE BLADE (HARD)**
Use for window film and auto wrap installs.


**GT2057Y GO DOCTOR YELLOW BLADE (FLEX-FIRM)**
**GT2057R GO DOCTOR RED BLADE (SOFT)**
Use for window film, auto wraps, vinyl graphics and paint protection installs.



**GT2057D DUAL DENSITY GO DOCTOR REPLACEMENT BLADE**
Replacement blade for any Go Doctor Handle. Get two blades for the price of one. The Dual Density
blade is double sided and reversible. 85A RED, 95A BLUE.





**GT153Y GRIP-N-GLIDE YELLOW (FLEX-FIRM)**
**GT153O GRIP-N-GLIDE ORANGE (SOFT)**
Grip-N-Glide combines an ergonomic hand-grip with high-performance, interchangeable blades to give you just what you need for tint, wrap and PPF installations.





**GT154Y GRIP-N-GLIDE YELLOW REPLACEMENT BLADE (FLEX-FIRM)**
**GT154O GRIP-N-GLIDE ORANGE REPLACEMENT BLADE (SOFT)**
Unlike tube squeegees with their belt- sanded round edges, the Grip-N-Glide features a .24" thick squeegee blade with French edges that are machine milled for maximum water extraction. Use either the firm yellow 90A or softer orange 85A blade to meet your application needs. The blades fit snugly into a frame that is covered by a substantial hand-grip designed with comfortable finger grooves and a special surface texture to provide the ultimate control in either wet or dry use.

# HANDLED SQUEEGEES




**GT273 MAGNUM RED LINE SQUEEGEE BLADE**
**GT2114 5" RED LINE EXTRACTOR 1/4" DOUBLE BEVEL SQUEEGEE BLADE**
**GT2114A 5" RED LINE EXTRACTOR 1/4" SINGLE BEVELED CROPPED SQUEEGEE BLADE**
**GT2114B 5" RED LINE EXTRACTOR 1/4" NO BEVEL SQUEEGEE BLADE**
The Fusion 5" Red Line Extractor Squeegee Blade is 1/4" thick with a durometer of 95. These extractor blades provide great liquid removal with every pass. Use with any of the standard 5" Fusion Handles.




**GT2115 8" RED LINE EXTRACTOR 1/4" DOUBLE BEVEL SQUEEGEE BLADE**
**GT2115B 8" RED LINE EXTRACTOR 1/4" NO BEVEL SQUEEGEE BLADE**
The Fusion 8" Red Line Extractor Squeegee Blade is 1/4" thick with a durometer of 95. These extractor blades provide great liquid removal with every pass. Use with any of the standard 8" Fusion Handles.




**GT057 5 FUSION STRETCH HANDLE**
**GT058 8" FUSION STRETCH HANDLE**

The Fusion Stretch handle is the latest design for installing flat glass and security films. These handles come in both 5" & 8" widths. This handle features a 14 ½" metal extension and two rubber grip sections for maximum water removal. Accommodates any 1/4" squeegee blade.

# SAFETY & SECURITY

**GT058BM 8" FUSION BIG MOUTH STRETCH HANDLE**
**GT1046BM 8" FUSION BIG MOUTH HANDLE**
**GT057BM 5" FUSION BIG MOUTH STRETCH HANDLE**
**GT1047BM 5" FUSION BIG MOUTH HANDLE**

The Fusion Big Mouth Handle features brass inlaid screw threads and stainless steel screws. This handle is designed to hold a 3/8" thick squeegee. One of the biggest issues installers encounter when installing thick mil films is extended dry time. This is mainly due to not being able to extract a majority of the solution because their current tools flex too much or they don't have enough strength to push as hard as they need to. The Big Mouth handles and 3/8" blades are the solution to that problem by taking more of the force required to adequately finish the job off of the installer and onto the tool. If you want to get optimum use of your Big Mouth Blade, use the Fusion Big Mouth Stretch Handle. The 14 1/2" extended handle is texturized with dual grips for maximized leverage.





GT2117



GT2118


GT2143


GT2144

**GT2117 5" BIG MOUTH 3/8" THICK NO BEVEL SQUEEGEE BLADE**
**GT2118 8" BIG MOUTH 3/8" THICK NO BEVEL SQUEEGEE BLADE**
**GT2143 5" BIG MOUTH 3/8" THICK SINGLE BEVEL SQUEEGEE BLADE**
**GT2144 8" BIG MOUTH 3/8" THICK SINGLE BEVEL SQUEEGEE BLADE**

The 3/8" thick blades are ideal for thick security films, graffiti films, hurricane/ bomb blast films, and windshield protection films. It is a much stiffer option at 90 durometer designed to optimize solution extraction while not putting more pressure on the back and arms of the installer. GT2143 and GT2144 have a beveled edge. Use with a Big Mouth Handle.




**GT042 8" SILVER SECURITY SQUEEGEE**
Comfortable, ergonomic handle is designed especially for security film installation. Comes equipped with the GT041 blade. Curved handle applies more pressure to surface, reducing fatigue and ensuring easier, better installations. Blade is replaceable with either the Security Squeegee (GT041), Yellow Flat Out Blade (GT261), or Orange Crush (GT259) blade.

**GT041 8" SILVER SECURITY SQUEEGEE BLADE**
Standard replacement blade for GT042.




**GT1006 THOR'S HAMMER**
Use for 6-mil+ safety film installations, and final pass on slow drying thin films. (Flat Glass Applications) Use GT117C as a replacement blade.

**GT117C SQUARE BLUE MAX-NARROW**
Replacement Blade for GT1006 Thor's Hammer.

**TOOL TIP**
Big Mouth Handles are designed for 3/8" thick blades only.



**GT2128 FUSION FORCE GRIP**
A speciality handle made for pushing attachment systems into proper placement.



**GT128 CERAMIC SAFETY FILM CUTTER**
Designed to deliver rapid, precise cuts for thick gauge safety films. It is intended for precision pre-cutting on flat, square-edged tables.

# SQUEEGEE ESSENTIALS




**GT149 12" BLOCK SQUEEGEE**
**GT148 6" BLOCK SQUEEGEE**
Combination squeegee/hard card used for finishing during film installations. Can be cut to various angles to reach tight, sharp corners.




**GT091 SLAMMER**
Used for cleaning corners and along gaskets, wicking water out along borders and easily reaches rear windows.



**GT066 6" CLEAR SUPER SQUEEGEE**
Ideal for general purpose squeegeeing. The consistency of the material produces great results with minimal effort.





**GT032G TAIL FIN GREEN (SOFT)**
Great for getting behind brake lights and back window applications. Finger holes make holding onto the Tail Fin easy.




**GT068 HARD CARD SHARPENER**
A must have to keep hard card and other squeegee edges smooth. Uses 9mm replacement blades.


**GT088 BONDO SQUEEGEE**
Flexible and soft card style squeegee. Great for third brake light installs.




**GT1049 GATOR BLADE I**
**GT1050 GATOR BLADE II**
The Gator Blade I and Gator Blade II products are alternatives to the Lil Chizler. Each has a unique shape to give you a better grip making it easier to apply pressure.




**GT2081B SMOOTH-IT MAT-BLACK**
**GT2081G SMOOTH-IT MAT-GREY**
Smooth-It is designed to effectively and evenly smooth out the edge of most tools used for film installation. It works great on plastic and rubber tools. The black mat is a medium fabric that works best and faster on big or deep scratches in the tool's edge while the grey mat is a fine fabric that is ideal for removing small or light scratches from the tool.




**GT2082B BLACK REPLACEMENT MAT**
**GT2082G GREY REPLACEMENT MAT**
Smooth-It Replacement Mats are sold in a 3 pack. The black (600D) mat is a medium fabric that works best and faster on big or deep scratches. The grey (1000D) is a fine fabric, ideal for removing small or light scratches on your installation tools.




**GT083 ORIG LIL CHIZLER**
**GT083Y YELLOW DURA CHISEL**
**GT083W LIDCO WHITE CHIZLER**
**GT083YL LIDCO SOFT YELLOW CHIZLER**
Ideal for removing decals, film or adhesive from sensitive surfaces. Use for pressing down small film creases or air bubbles. The White Chizler is slightly larger, has thicker edges and is harder than the original pink Lil Chizler or the Yellow Dura Chisel. The Lidco soft yellow Chizler is more flexible than all the others.





**GT202 THE CONQUERER SQUEEGEE**
**GT202B THE BLUE CONQUERER SQUEEGEE**
The Conquerer is the original corner reach tool. Features a soft squeegee blade along one edge and pointed hard card tips on the ends making it a versatile staple to any tool kit. Use the Blue version for a harder blade.

## TOOL TIP

The Tail Fin (GT032) is a great tool for squeegeeing behind rear brake lights.



# SQUEEGEE ESSENTIALS




**GT201G GREEN CONTOUR (SOFT)**
**GT201Y YELLOW CONTOUR (FLEX-FIRM)**
**GT201PLT PLATINUM CONTOUR (HARD)**
**GT201PCH PEACH CONTOUR (FLEX-FIRM)**
Gives you curves where you need them. Designed to match all those concave surfaces installers see every day. A great fit for window film, paint protection or vinyl installs. The Contour hugs surfaces evenly while spreading radial pressure outward for quick film adhesion. The elongated triangular shape gets in to all those hard to reach areas.




**GT113Y YELLOW DIAMOND TIP (SOFT)**
Designed to meet the challenge of hard to reach areas, with square edges and 20° angled corners on both sides. The raised area in the center gives you a secure, slip-resistant grip, even when wet. A great squeegee because of the firm texture delivering pressure to the point-of-contact while the special material helps prevent scratching. Ideal for bumping edges and heat shrinking because of the high heat-resistant material.



**GT256 POWER STROKE YELLOW (SOFT)**
The original hand held molded squeegee, designed to fit comfortably in your hand. Measures 5.7" from tip to tip. Works well with dyed films and first pass on metal films.





**GT151W WHITE QUICK FOOT (FLEX-FIRM)**
**GT151B BLUE QUICK FOOT (SOFT)**
**GT151Y YELLOW QUICK FOOT (HARD)**
A stiff squeegee with a handle for jobs that require medium reach. Slim and trim with an unwrapped handle. Comes in a variety of flex ratings to meet a wide range of applications.





**GT060 EZ WING LIME (FLEX-FIRM)**
**GT060PCH EZ WING PEACH (FLEX-SOFT)**
The first difference in the EZ Wing from a product like the EZ Reach or EZ Reach Ultra is the unique chizzler tip that enables you to flip it over to chisel out those stubborn creases or dust spots. The second feature of the EZ Wing is the increased stiffness across the nose of the tool. This will allow you to apply more pressure out at the tip in those situations where you are reaching into a tight spot. Lastly the CCT technology provides a curved main edge.




**GT044B LITTLE FOOT BLUE (SOFT)**
**GT044R LITTLE FOOT RED (FLEX-FIRM)**
**GT044BLK LITTLE FOOT BLACK (HARD)**
The Little foot features the unique blade shape of the Big Foot without the handle. Fits comfortably in your hand and features an angled, long-reach tip that gets behind gaskets and rubber seals easily. This squeegee measures about 6" (15 cm) along the usable edge. The pointed edge of this tool allows the installer to squeegee in very tight areas. Has plenty of room to keep a good grip on the squeegee.




# SQUEEGEE ESSENTIALS





**GT1025C REBEL-CHERRY (MEDIUM-SOFT)**
**GT1025T REBEL-TURQUOISE (SOFT)**
A hybrid of the bump card and Diamond Tip. Great as an applicator or use as a trim guide on flat glass. Rebel has a unique diagonal shape, reaching corners easily. The parallel grip ridges make holding the Rebel easy. Check out Rebel Suede on page 21 for PPF.




**GT1070 PLATINUM SMART CARDZ (HARD)**
**GT1070BLK BLACK SMART CARDZ (SOFT)**
The modern version of the hard card squeegee, only better! 25% wider than a hard card, with a tapered tip, comfortable grip and thin squeegee edge make it the smartest tool in your apron. Great for sliding under gaskets and seals. Use Smart Cardz anywhere you would use hard card squeegees.





**GT200 EZ REACH ULTRA GOLD (FLEX-FIRM)**
**GT200PLT EZ REACH ULTRA PLATINUM (HARD)**
If you like the Original EZ Reach, you are going to love Ultra! It is exactly the same except the hole has been removed to make it stronger and the top has been trimmed down to give installers yet another handy angle to work with. Designed specifically to get at the corners of quarter glass windows, you will also reach for it again and again to put down those little corners of film in hard to access areas.




**GT2003 ORIGINAL EZ REACH GOLD (FLEX-FIRM)**
**GT2003PLT ORIGINAL EZ REACH PLATINUM (HARD)**
**GT2003 BLUE BLUE FROG EZ REACH**
Stop cutting down hard card squeegees and use this versatile tool instead. These triangular cards with flat edges are perfect for putting down those little corners of film in hard to access areas. The gold version is flex-firm while the platinum offers a hard card texture with internal lubrication technology to help prevent scratching. The Blue Frog is the most slippery of the EZ Reach family. EZ Reach is the ultimate corner tool.




**GT2042B TRI-EDGE BLUE**
**GT2042Y TRI-EDGE YELLOW**
**GT20420 TRI-EDGE ORANGE**
**GT2043N TRI-EDGE PLUS**
Precision angles, smooth edges and a comfortable grip. Tri-Edge is the new standard in the industry. Tri-Edge Plus features a rubber squeegee edge to help prevent dirty water returning to any open surface.




**GT2152R TRI-EDGE XL RED**
**GT2152F TRI-EDGE XL FUCHSIA**
Tri-Edge XL is designed for tucking window film between tight door gaskets and glass. The longest edge is 6.5 inches long. Tri-Edge XL is hard with a soft touch and flexible which makes those deep hard to reach spots more accessible.




**GT2063P TRI-EDGE X PINK**
**GT2063B TRI-EDGE X BLUE**
**GT2063Y TRI-EDGE X YELLOW**
**GT2063O TRI-EDGE X ORANGE**
The angles have been recalculated and extended into a bigger tool to make hard to reach areas more accessible.

# SQUEEGEE ESSENTIALS




**GT2150G REFLEX GOLD (MEDIUM FIRM)**
**GT2150Y REFLEX YELLOW (FIRM)**
**GT2150O REFLEX ORANGE (SOFT)**
**GT2150R RED GLASS SAVER REFLEX (HARD)**
Reflex is an ergonomic corner hard card designed with everyday use in mind. The sleek rounded design features wide finger anchors for ultimate grip control to minimize chances of dropping the tool. Reflex has a comfortable index finger rest position towards the tip of the corner for precise control. Orange is self-lubricating. The Red Glass Saver is extremely hard and designed for **cleaning** glass surfaces . **Red should not be used on window film.**




**GT2151G SIDE PIECE GOLD (MEDIUM FIRM)**
**GT2151Y SIDE PIECE YELLOW (FIRM)**
**GT2151O SIDE PIECE ORANGE (SOFT)**
**GT2151R RED GLASS SAVER SIDE PIECE (HARD)**
The Fusion Side Piece is the corner tool you've been asking for. Side Piece corner tool features raised finger grips but retains a smooth in-hand feel. An indented finger rest position for maximum control minimizes the change of dropping the card. Orange is self-lubricating. Red Side Piece is extremely hard and designed for **cleaning** glass. **Red should not be used on window film.**




**GT023 DOO DAD**
Doo Dad is a unique multi-functional, super lubricated, plastic scraper. This tool offers several installer friendly features such as: Easily reach tight places; scratch-resistant, lift and pry tool, 360 degree usuable synthetic razor surfaces; perfect lifting tool for rubber gaskets, clips and more; the rounded end acts like a "plow" to enhance sticker scraping.

# PPF/WRAPS/VINYL & GRAPHICS





**GT2017 FINISH LINE KNIFELESS TAPE**
The Knifeless Tape has a high strength filament that creates a clean sharp cut without the risk of damaging painted surfaces. (3.5 mm x 50 m roll)
**GT2018 BRIDGELINE KNIFELESS TAPE**
Bridgeline Knifeless Tape is great for creating gaps and pinstripes (like rally stripes). 12.7 mm x 50 Meter rolls. *Not recommended for chrome or other metalized or textured films.



**GT2067 DESIGN LINE KNIFELESS TAPE**
Use Design Line Knifeless Tape to create graphic elements and striping on single layers of vinyl that have curves and contours. Design Line tape stretches more than other products so it follows contours and turns easier. (3.5 mm x 50 m roll)




**GT2021 12YD. SLIP TAPE**
**GT2021-4 4YD. SLIP TAPE**
Slip tape is the ultimate product for making your application squeegees smoothly and safely glide across window film, paint protection, car wrap and vinyl graphic applications. Avoid tearing or scratching the material you are working with. Include this product in your tool box!




**SC2 SOOPER CLIP (2 PACK)**
**SC50 SOOPER CLIP (50 PACK)**
Faster and easier than tape or rubber bands. These brightly colored Sooper Clips are designed for efficiency.




**GT1000 MACTAC FELT SQUEEGEE**
Recommended for paint protection or vinyl graphic installations. The soft felt is designed to avoid scratching.




**GT1010 3M WET OR DRY SQUEEGEE**
Soft rubber card style squeegee. Recommended for paint protection installations.




**GT2099 SUEDE BLADE STRIP**
4" Suede replacement strip. These are die cut to fit the 4" Speed Wing. Speed Wing can be found on page 25.




**GT1065 4" LIDCO FELT SLEEVE**
A felt wrap for any 4" hard card squeegee.



**GT1064 4" BUMP CARD WITH FELT EDGE**
Four inch hard card with two ridges or "bumps". One edge is wrapped in felt.




**GT2096-4 4" LEMON SUEDE BLADE (FLEX-FIRM)**
**GT2097-4 4" CHERRY SUEDE BLADE (SOFT)**
Evolved from the success of the Speed Wing family the new Suede Blade has quickly answered a lot of challenges for installers. The Suede Blade comes with a dual layer fabric that gives installers a cushioned, smooth fabric over the edge of the squeegee. The Suede Blade glides over window tint, paint protection film and vinyl graphics/wraps with ease.



**GT2134 BANANA BUFFERS**
Banana Buffers are premium replaceable wing-tipped wrap buffers designed to make vinyl, PPF, and any sensitive material installation smoother, faster and safer. Sold in a box of 10.

# PPF/WRAPS/VINYL & GRAPHICS



**BPOP BUBBLE POPPER PEN**
The Bubble Popper Pen is a must have tool for any vinyl graphics installer or car wrapper. This tool is used to put a pin hole (never a knife slit) into your vinyl, printed graphics or car wrap where a bubble or rivet might be to release the air and flatten the film graphic on to the substrate.




**WCKNIFE WRAP CUT LINER KNIFE**
The ultimate vehicle wrap knife! The Wrap Cut Knife by Image 1 Impact is made specifically to cut through just the liner side of any pressure sensitive vinyl graphic and wrap film. This knife will only cut through the paper release liner of the vinyl.

**WCBLADE REPL BLADES FOR WRAP CUT KNIFE**
This is the replacement blade for the Wrap Cut Knife, WCKNIFE. Each blade has 4 available cutting edges. 10 blades per pack.



**GT237 SUNNY TUCKER**
This tool is a must when applying graphics or PPF to challenging surfaces. Effortlessly glides over the film surface while tucking in, wrapping around and laying down.



**WG1 WRAP GLOVE LG**
**WG1XL WRAP GLOVE XL**
The Wrap Glove is sold in pairs and is a must have for anyone installing vinyl graphics and vehicle wraps. Installing with your bare hands can cause over stretching and puckering of the vinyl as well as potential damage from the transfer of oils on your skin. These lint free and durable Wrap Gloves reduce friction while handling the material giving you great results every time.



**WG2 GHOST WRAP GLOVE**
The Ghost Glove is extremely slick so defining edges with hands is immediate with no drag. This glove is lint and static free and prevents oil transfer and fingerprints. Ghost Glove is rated as A2 (extremely) cut resistant. One size fits most. Ghost Glove is sold as ONE glove not a pair.




**WES WET EDGE SQUEEGEE**
Wrap your vehicles faster and better. The only squeegee applicator made to use wet. No scratches, no marks, just smooth motions that easily glides across vinyl films and painted surfaces without worry of mistakes or damage. The Wet Edge Squeegee is a Teflon squeegee with a unique microfiber bonded to it. Can be used either wet or dry. This is the top of the line applicator in the business. Colors vary.

MOLD5



MOLD11



**MOLD5 MOLDING & TRIM REMOVAL TOOLS**
**MOLD11 MOLDING & TRIM REMOVAL TOOLS**
Mold5 includes five distinctive tools and Mold11 includes eleven distinctive tools for the easy removal of body fasteners, interior trim pieces, exterior body moldings, wheel hub caps, etc. Made from heavy-duty plastic to prevent scratching and damage to vehicle surfaces.

# PPF/WRAPS/VINYL & GRAPHICS




**XMH XTREME MAGNET (SINGLE UNIT)**
**XMH6 XTREME MAGNETS-6 PER BOX**
These handy body magnets make applying vinyl and vehicle wraps faster and easier by acting as another hand to hold the material. You can also use them in the place of masking tape or pre-mask to position the material on the vehicle.



**MONKEY STRIPS 4" MONKEY STRIP**
These pre-cut buffers fit any standard 4" squeegee. They are far superior to standard felt strips and will help prevent scratches to the wrap material during installation. Give your hard plastic squeegees a soft and smooth side with the Monkey Strips.



**GT2092 4" PPF HORNET PADDLE**
**GT2092-0.5 0.5" PPF HORNET PADDLE**
**GT2092-2 2" PPF HORNET PADDLE**
**GT2092-6 6" PPF HORNET PADDLE**
This triple durometer paddle squeegee offers the handler two durometers to install with. The black install side measures in at a firm but flexible 80 durometer and the yellow side at a softer more pliable 70 durometer.




**GT2106 4" PPF HYBRID PADDLE**
This paddle squeegee is dual durometer and designed for paint protection films that feature a durable hard coat. The blue side of the PPF Hybrid is a hard 94 durometer while the orange side is a more flexible 85 durometer.




**GT2104 5" PPF BLACKOUT SQUEEGEE**
**GT2105 5" CROPPED PPF BLACKOUT SQUEEGEE**
The PPF Black Out is a squeegee blade designed specifically for paint protection film installs, but has also become a favorite in the automotive window film industry. The PPF Black Out features a high content of slip additives to help the tool slide easily across paint protection films. At 88 durometer it is flexible enough to conform to odd surfaces. Pair this blade with a magnetic Fusion Hand Dee (GT037) to help hold the paint protection film in place during installation.



**SQSOFT4 GREEN SOFT FLEX SQUEEGEE**
The 4" Green Soft Flex Squeegee is the thinnest and the softest installation card that we offer. Made from a unique rubber and plastic blend, this squeegee has excellent bend and flex characteristics which make it perfect for applications on curved surfaces.



**GT024S SUEDE SLAYMATE**
Suede SlayMate was created to be a pro-quality, multi-purpose squeegee that attaches to your hand. A device that also includes storage space for your knife and handy built-in edge wrap wings. Put it all together, and you'll have an all-in-one creation that keeps installers from losing tools because they are ready to work!



**GT2127-4.75 PINK PPF SQUEEGEE 3"X4.75"**
Made from soft PPF rubber the Pink PPF Squeegee, safely applies vinyl wrap, window tint without scratching.




**ER1 EMBLEM REMOVAL TOOL**
This tool is used before the vehicle wrap/vehicle graphic application to remove emblems, logos and badges from your vehicle. Our Emblem Removal Tool comes with custom designed ergonomic handles that are comfortable to use.



**RB RIVET BRUSH**
Made of stiff bristle synthetic fiber, the rivet brush for fleet graphic installers helps form flexible cut and printed vinyl over the rivet surface.




**IPEN INSTALLER'S PRIMER PEN**
The Installer's Primer Pen is easy to keep in your tool pouch, pocket, or tool box. Fast and easy to use on all your applications that require precise application of Primer 94. Works with any brand of vinyl film and can be used anywhere Primer 94 is required. Ships ground domestic only.

# PPF/WRAPS/VINYL & GRAPHICS

GT046C GT046L





**4.3" wide x 2.8" tall**




**GT046C CHERRY BULLET APPLICATOR (SOFT)**
**GT046L LEMON BULLET APPLICATOR (MEDIUM SOFT)**
The Bullet Applicator is an installer friendly tool with many key features:

- Contours to all surfaces.
- Perfect for "bumping" the films' edge.
- Gentle precise edge prevents scratches.
- Efficiently pushes out trapped air and moisture.
- The parallel "bumps" provide a slip-resistant grip.

Cherry is the most flexible;perfect for intricate curves and detailed PPF work. Lemon is the perfect stiffness for sign and vinyl and graphics.

GT1025ST
■



GT1025SC
■■

**GT1025ST SUEDE REBEL TURQUOISE (SOFT)**
**GT1025SC SUEDE REBEL CHERRY (MEDIUM SOFT)**
A hybrid of the bump card and Diamond Tip. Suede Rebel has a unique diagonal shape, reaching corners easily. The parallel grip ridges make holding the Rebel easy. The Suede Blade wrap is perfect for PPF and vinyl installs.







GT022C
■■

GT022T
■

**GT022C SUEDE BLADE 4" CHERRY BUMP CARD (MEDIUM SOFT)**
**GT022T SUEDE BLADE 4" TURQUOISE BUMP CARD (SOFT)**
Bump cards with gently rounded corners to prevent scratching and parallel "bumps" to provide a slip resistant grip. These cards contour to all surfaces and the suede material makes these perfect for PPF and vinyl work.

GREEN FUSION FLEX CARDS
■■




ORANGE FUSION FLEX CARDS
■■■



YELLOW FUSION FLEX CARDS
■■■■



BLACK FUSION FLEX CARDS
■■■■■




**GT2162-1.25 1.25" FLEX CARD**
**GT2162-2 2" FLEX CARD**
**GT2162-4 4" FLEX CARD**
**GT2162-6 6" FLEX CARD**

The Fusion Flex Cards are squeegees that do it all. They come in four sizes and colors which coincide with four different grades of flexibility. The stiffest is the black, followed by yellow. Black and yellow are recommended for flat glass and flat vinyl signage. The more flexible versions are the orange then green. Both the orange and green are made from the same material as the Orange Crush. Orange and green cards can be used for PPF, window tint and vinyl installs. These cards come with a double layer of micro-suede.

# PPF/WRAPS/VINYL & GRAPHICS

Brought to you by popular demand. The Orange Crush PPF Squeegees. These squeegees come in a multitude of sizes and shapes and feature magnetic holds. Get just the shape you want with the ergonmic hold you need. **EACH PIECE SOLD SEPARATELY.**

**Bundle is PPFOCPSB but does NOT include 2 stage, 3 stage or To-Go PPF Squeegees.**

**PPFOCP24.5 .5" ORANGE CRUSH PPF SQUEEGEE**
**PPFOCP241 1" ORANGE CRUSH PPF SQUEEGEE**
**PPFOCP241.5 1.5" ORANGE CRUSH PPF SQUEEGEE**
**PPFOCP242 2" ORANGE CRUSH PPF SQUEEGEE**
**PPFOCP242.5 2.5" ORANGE CRUSH PPF SQUEEGEE**
**PPFOCP246X3 ORANGE CRUSH 6X3 PPF SQUEEGEE**
**PPFOCP244X3 ORANGE CRUSH 4X3 PPF SQUEEGEE**
**PPFOCP4X2 ORANGE CRUSH 4X2 PPF SQUEEGEE**
**PPFOCP243 3" ORANGE CRUSH PPF SQUEEGEE**
**PPFOCP244 4" ORANGE CRUSH PPF SQUEEGEE**
**PPFOCAP ORANGE CRUSH AX PPF SQUEEGEE**
**PPFOCH24 ORANGE CRUSH HOOK PPF SQUEEGEE**
**PPF2SP24 2 STAGE PPF MAXXX CRUSH SQUEEGEE**
**PPF3SP24 3 STAGE PPF CRUSH SQUEEGEE**
**PPFOCCP24 ORANGE CRUSH CHISEL PPF SQUEEGEE**
**PPFOCTP24 ORANGE CRUSH TO-GO PPF SQUEEGEE**
**PPFOCGP24 ORANGE CRUSH GHOST PPF SQUEEGEE**



# TUBE SQUEEGEES

GT119 ▪

GT119B ▪



GT121 ▪



GT146 ▪



**GT121 28" BLACK SMOOTHIE TUBE SQUEEGEE**
Soft black squeegee with gray pvc handle.

**GT119B 4" BLACK SMOOTHIE BLADE**
**GT146 28" BLACK SMOOTHIE BLADE**

Squeegee tool used for glass cleaning, sometimes called the "Smoothie". Economy size (28") usually cut to shorter lengths before use.

GT1026 ▪▪▪



GT235S ▪▪▪



GT145S ▪▪▪



GT147S ▪▪▪



**GT1026 3 1/2" SOFT DK. YELLOW TURBO SQUEEGEE**
**GT235S 5 1/2" SOFT DK. YELLOW TURBO SQUEEGEE**
**GT145S 18 1/2" SOFT DK. YELLOW TURBO SQUEEGEE**
**GT147S 18 1/2" SOFT DK. YELLOW TURBO BLADE**
A soft installation squeegee used to remove application solution during installation of all auto and paint protection films.

GT2053 ▪▪



GT2004 ▪▪




**GT2053 4 1/2" GREEN TURBO BLADE**
**GT2004 18 1/2" GREEN TURBO BLADE**
The Green Turbo is perfect for paint protection installs, can be cut down to smaller sizes, and has a durometer (hardness) between the GT146 Black Smoothie and the GT147S Yellow Turbo Blade.




# TUBE SQUEEGEES




**FUSION BLACK TURBO**
82 durometer. Recommended for paint protection films and films with a softer hard coat.




**FUSION RED TURBO**
95 durometer. Super hard, recommended for thick vinyl applications and window films.




**FUSION GREEN TURBO**
80 durometer. Recommended for paint protection films and films with a softer hard coat.



**FUSION YELLOW TURBO**
85 durometer. Recommended for vinyl applications and areas that require more pressure.



**FUSION PINK TURBO**
77 durometer. Super soft, recommended for paint protection films and cleaning.




**FUSION ORANGE TURBO**
92 durometer. (Same durometer as Orange Crush) Recommended for most window films and vinyl applications.

## TOOL TIP

**FUSION TURBO SIZES AND HANDLE OPTIONS:**


GT2083 3 1/2" Blade only
GT2083-4 4" Blade only (Black only)
GT2084 3 1/2" Blade with small white pvc handle
GT2085 3 1/2" Blade with large gray pvc handle
GT2085-4 4" Blade with large gray pvc handle (Black Only)
GT2086 5 1/2" Blade only
GT2087 5 1/2" Blade with small white pvc handle
GT2088 5 1/2" Blade with large gray pvc handle
GT2089 8" Blade only
GT2090 8" Blade with small white pvc handle
GT2091 8" Blade with large gray pvc handle

# HARD CARDS




**GT086BLU** BLUE HARD CARD
**GT086PCH** PEACH HARD CARD
**GT086W** WHITE HARD CARD

**GT086GLD** GOLD HARD CARD
**GT086BLK** BLACK HARD CARD
**GT086PNK** PINK HARD CARD
**GT086PLT** PLATINUM HARD CARD




**GT087SQ** SQUARE YELLOW LIDCO SQUEEGEE
**GT087FT** FLAT YELLOW LIDCO SQUEEGEE
**GT087** YELLOW LIDCO SQUEEGEE
**GT087GRY** GRAY LIDCO SQUEEGEE

**GT099** UNIVERSAL SQUEEGEE
**GT079** 4" 3M GOLD SQUEEGEE
**GT080** 4" 3M BLUE SQUEEGEE




**GT087-6GRY** 6" GRAY LIDCO SQUEEGEE
**GT086-6Y** 6" YELLOW HARD CARD SQUEEGEE
**GT086-6W** 6" WHITE HARD CARD SQUEEGEE


## TOOL TIP

Use Slip Tape (GT2021 or GT2021-4 page 18) on any edge to increase slip and reduce the risk of scratching.




**GT2072-4** 4" LIME SPEED WING (HARD)
**GT2072-6** 6" LIME SPEED WING (HARD)
**GT2072-8** 8" LIME SPEED WING (HARD)
**GT2076-4** 4" LEMON SPEED WING (FLEX-FIRM)
**GT2076-6** 6" LEMON SPEED WING (FLEX-FIRM)
**GT2076-8** 8" LEMON SPEED WING (FLEX-FIRM)
**GT2077-4** 4" CHERRY SPEED WING (SOFT)
**GT2077-6** 6" CHERRY SPEED WING (SOFT)
**GT2077-8** 8" CHERRY SPEED WING (SOFT)

The Speed Wing is designed with "wings" to enable the installer to reach areas typically out of the reach of most bump, bondo, teflon and hard cards. The Speed Wing comes with one flat edge and one curved edge. Speed Wing is made from materials that enable it to slide across most film surfaces easily while maintaining its rigidity to lay the material flat and remove moisture or air trapped underneath. Features new Contour Control Technology.




**GT019C** 4" CHERRY BUMP CARD
**GT019T** 4" TURQUOISE BUMP CARD

## TOOL TIP

4" Speed Wings are now also available with a suede edge. Check out Suede Blades on page 18.



# INSTALLATION ACCESSORIES



**GT132 HOOK TOOL**
Use this tool to pull back on rubber gaskets to tuck film below the seal.




**GT2029 SHANK**
Shank is a great tool for getting under tight moldings.




**GT033 RED DEVIL SQUEEGEE**
Flexible squeegee that is great for tight corners and maneuvering around gaskets.

**GT191 THE EDGE TOOL**
A convenient trim guide or use the curved edge to pull back gaskets.




**GT194 GASKET PUSH STICK**
**GT194B BLUE GASKET PUSH STICK**




**GT135 BLADEATER**
Designed for professional installers, the BLADEater holds your knife safely and securely, and allows you to easily snap and discard blades into the replaceable well. Once the well is full, simply toss the well, blades and all.

**GT134 BLADEATER REPLACEMENT WELL**
Replacement well for BLADEater.

## TOOL TIP

Tinting automotive windows is progressively more challenging. View the different tools to assist you in "tucking" the film under the door panel.




**GT1004 OLFA DC4 BLADE DISPOSAL CASE**
Blade disposal unit that can be emptied and reused.




**GT2014 OLFA DC3 BLADE DISPOSER**
Snap, trap, and dispose of used blades safely with the DC-3 Pocket-Size Blade Disposal Can. Designed for convenience and safety, this compact canister fits easily into your pocket, toolbox, or workstation—making blade disposal fast, secure, and mess-free wherever you work.




## TOOL TIP

You don't want to leave behind discarded blades on a job site for a potential injury later. Safely snap blades into a disposal unit.

**GT176 WAIST APRON**
Heavy-duty waist apron for easy access to tools while on the job.

**GT1080 ERGODYNE WAIST APRON** 13 pocket tool apron.

**SS-MINI SOAK SHIELD-MINI**
**SS-OG SOAK SHIELD-OG**
**SS-XL SOAK SHIELD-XL**
**SS-INSTALLER SET SOAK SHIELD INSTALLER SET**
Soak Shield is tucked between the glass and the deck to reduce the chances of water damage to electronic parts during film installation.

SS-MINI- Compact size for smaller areas, approximately 5-6' long depending on stretching but 30% thinner than OG.
SS-OG-. The original Soak Shield size, approximately 5-6' long depending on stretching.
SS-XL- Extra-large size for greater coverage and larger installations. SS-XL is 18" longer than OG.

SS-INSTALLER- One of each rope.
**Colors may vary.**



# INSTALLATION ACCESSORIES



**GT251N WAGNER HT3500 DIGITAL HEAT GUN**
This model allows you to heat shrink in low or high fan speeds and has a variable temperature setting to fine tune the amount of heat needed for a specific application. (120 volt)



**GT250 FURNO 300 DUAL TEMP HEAT GUN**
Furno 300 Dual Temp Heat Gun with high, medium, low settings. (120 volt)



**GT2122 FUSION AFTERBURN TAPE**
This amazing product is self-adhering, meaning it bonds to itself with no adhesive. When it's removed, there is no leftover glue residue. Apply it to anything and everything! Torch tips, heat guns, tools, steamers, and more! The list is endless! This tape stretches up to 300% and molds perfectly to odd shaped items. High heat resistance up to 500 degrees Fahrenheit (about 260 degrees Celsius) with only one layer applied. Double or triple your layers to increase your level of heat resistance and protection!



**GT979 KEVLAR HEAT GLOVES (PAIR)** Heat-resistant gloves great for use during heat shrinking.



**GT271 MAX FLUX HEATING ELEMENT**
Heating element replacement for the Max Flux Heat Gun.

GT921-WC



**GT921-WC JIFFY STEAMER J2000 WATER CADY**
Replacement water caddy for the GT921N J2000 Jiffy Steamer.

GT921C



GT921B

**GT921C JIFFY STEAMER J2W REPLACEMENT BOTTLE** Replacement bottle for the J2W Jiffy Steamer (GT921).

**GT921B JIFFY STEAMER J2W & J2000 REPLACEMENT FUSE**

GT2015




GT921N



**GT2015 JIFFY STEAMER J4000W STEAMBLADE**
The J4000W has a large 1 gallon internal water reservoir and provides 2 hours of continuous steam before refilling. Go from PREHEAT mode to full steam power in just two minutes. Has a flexible 7.5' hose for easy maneuverability on the job and an angled 9" aluminum steam head that concentrates steam into a targeted area for precise removal. Steam- resistant nitrile gloves included in each unit. Heats up to 180°F (120 volt; alternate voltage available upon request).

**GT921N JIFFY STEAMER J2000 FILM REMOVER**
Impact resistant, with a 1300 watt heating element and heats up in two minutes with 1.5 hours of steaming per filling. Great for removing film and adhesive from vehicle rear windows. Heats up to 165° F (120 volt; alternate voltage available upon request).

## TOOL TIP

Jiffy Steamer will help prevent damaging defroster lines when removing film from rear windows. Besides making life easier, a Steamer will pay for itself in just a few jobs when you consider the considerable time savings.

# MEASURE/MARK & TRIM




**GT190GRY GRAY 5-WAY TRIM GUIDE**
**GT190BLK BLACK 5-WAY TRIM GUIDE**
**GT190W WHITE 5-WAY TRIM GUIDE**
Use these tools as a trim guide or wrap in paper towels and use as a bump tool. Each of these offers unique shapes and corners. The GT190 White even features a ruler.




**GT991 1" RED FILM TAPE**
**GT990 3/8" RED FILM TAPE**
Features low-tack adhesive.
Use to retape film rolls for storage.
(60.1 yards per roll)




**GT078-75 3/4" BLACK ACRYLIC FELT**
**GT078 1 1/2" BLACK ACRYLIC FELT**
Helps reduce scratching of automotive films on some vehicle roll down windows. (50' per roll)

### TOOL TIP

In addition to a trim guide, the GT190 5- Way Tools are also an effective squeegee, especially when wrapped with a low lint paper towel or cloth to absorb moisture along the border of the film.




**GT157 1/2" BLACK OUT TAPE**
**GT158 1" BLACK OUT TAPE**
**GT159 1 1/2" BLACK OUT TAPE**
Black matte vinyl used to hide light gaps along edges of film installations.
(150' per roll)




**GT075 YELLOW FILM MARKER**
**GT2031 WHITE FILM MARKER**
Handy for 3 basic purposes:

1. Marking film prior to installation of windows with unusual shpaes (arches, trapezoids, etc.) which must be cut to approximate shape before the final "lay-up".
2. Circling a contaminant (hair or fiber) before pulling back the film to remove it.
3. Marking film edges to check for glass movement on side roll-ups during the trimming process. Yellow grease mark easily wipes away.




**GT981 DO NOT ROLL DOWN STICKER**
Perfect as a reminder on new auto installs. Features low-tack adhesive.
(1000 per roll)

**GT1096 DO NOT ROLL DOWN TAPE**
Approximately 200 stickers per roll.





**GT076 FILM OPAQUER PEN - THIN POINT**

**GT077 FILM OPAQUER PEN - BROAD POINT**
Used by installers to hide fine line mistakes in trimming which causes light intrusion at the film edge.

### TOOL TIP

Application of felt tape has become a popular solution to the familiar "scratching" problem on some vehicle roll down windows.




**GT187 12" TRIANGLE**
45/90° with circle templates.

**GT186 8" TRIANGLE**
30/60° with circle templates.



**GT182 36" STRAIGHT RULER**
Imperial measurements including 1/8ths & 1/16ths.

# SPRAYERES & ACCESSORIES



GT097

**GT097 32OZ. BOTTLE**
Empty 32 ounce bottle only.



**B406T BIG BLASTER TRIGGER SPRAYER**
Cushion three finger trigger and rear support for comfortable use. High output with each pull of the trigger. Use with GT097.



GT096

GT1008

**GT096 POLYSPRAY 2**
This pressurized spray bottle holds more solution than the 32 oz. bottles and reduces "finger-fatigue" eliminating the need for pumping while spraying via a simple trigger. Handy for large windows and long duration sprays. Has an adjustable spray nozzle. (1.25 liters

**GT1008 IMPACT JR. PUMP-UP SPRAYER**
Pressurized spray bottle that holds 48 ounces and reduces "finger-fatigue" eliminating the need for pumping while spraying via a simple trigger. Has adjustable spray nozzle.



GT1067

GT1067R

**GT1067 MERCURY PRO+ BOTTLE & TRIGGER**
The next generation in spray bottles, the Mercury PRO+ features viton seals and a double action pump that sprays both when you pull back and when you release the trigger giving you more liquid with each pull. This lightweight ergonomic trigger/bottle combo holds up to 1 liter (33 ounces of fluid.

**GT1067R MERCURY PRO + SUPER 300 SPRAYER**
360 degree sprayer that allows continual spray at all angles, sideways or even upside down which uses up all the product in the container. Double action trigger for a constant fine spray. Viton® seals are resistant to most common chemicals and detergents. Level indicator embossed on container marked in ML and pints.

GT101N

GT1029



**GT101N 5 GALLON SS TANK**
**GT1029 3 GALLON SS TANK**
Deluxe pressure sprayer for mounting solution in a stainless steel tank. Hose can reach up to 25' in length. Fill with solution and pressurize with air from any compressor. Curly, flexible hose reaches into cars or stretches to go up a ladder with you.

GT101-HG



**GT101-HG 25' REPLACEMENT HOSE AND SPRAY GUN**
Replacement hose and nozzle assembly for GT101N and GT1029.



GT101-H

**GT101-H REPLACEMENT SPRAY GUN**
Replacement nozzle for GT101N and GT1029.



GT101QDP

**GT101QDP PLASTIC QUICK CONNECT FOR SS TANK**
Plastic quick connect for SS tank.



GT101C

**GT101C REPLACEMENT LID FOR SS TANK**
Replacement lid for the GT101N or GT1029. Includes the valve stem for pressurizing.



**GT2012 NOZZLE FOR PRESSURE SPRAYER**
An alternate nozzle for a pressure sprayer.

## TOOL TIP

Always clean your tanks and sprayers after 48 hours of use to keep contamination down. Don't forget to clean the filters!

# CLEANING/PREP & CHEMICALS




**GT715 SPRAYWAY GLASS CLEANER-19 OZ**
Ammonia free, film-friendly aerosol spray used for cleaning film surfaces after installation. Can also be used as an adhesive remover when left to soak.




**GT735 FILM-ON CONCENTRATE**
1 quart concentrate mounting solution. Use for pressure sensitive adhesives and sputtered copper films.




**GT733 DIRT-OFF CONCENTRATE**
1 quart concentrate cleaning solution. Use for interior automotive window cleaning. Great for removing oily deposits on automotive glass. Dirt-Off can also be used as an adhesive accelerant to give additional tack for dot matrix areas.

GT2095







GT2095G

**GT2095 ATR SOLUTION-QUART**
**GT2095G ATR SOLUTION-GALLON**
Highly concentrated window film adhesive remover. Dissolves adhesive on contact. Ready-to-use.




**GT162P EASY STRIPPER II ADHESIVE REMOVER-GALLON**
Used to soften adhesive left on glass. Ready-to-use.




**GT1071 SUPER STRIPPER ADHESIVE REMOVER-GALLON**
A highly concentrated, ready-to-use adhesive remover.

## TOOL TIP

After installing film, be sure to clean and polish it with GT715 Sprayway Glass Cleaner. Offering glass cleaner is a great sales add-on.

## TOOL TIP

When mixing mounting solutions, it is recommended that you use filtered water for best results.

GT2111







GT2112

**GT2111 FUSION EPIC ORANGE ADHESIVE REMOVER-QUART**
**GT2112 FUSION EPIC ORANGE ADHESIVE REMOVER-GALLON**
Epic Orange Adhesive Remover is specifically formulated to break down adhesive used in window films, paint protection films and vinyl. Simply spray the desired area and watch the adhesive breakdown. No alcohol and no ammonia!

GT2093







GT2094

**GT2093 FUSION ALL TYPE-GALLON**
**GT2094 FUSION ALL TYPE-1/2 QUART**
Clear, clean mounting solution with no unnecessary ingredients. Fusion All Type is safe for use on all films and all adhesives. Use on any Window Film, PPF, or Vinyl. Get more for your money with the conservative mixing ratios and easy to use built-in measuring cup (1/2 QT bottle) and dispensing pump on (1 gallon jug).




**GT714 X-100 APPLICATION SOLUTION-GALLON**
Cleaning and application concentrate for most dry adhesives. The mild acid formulation makes this a great cleaning agent for glass contaminated with oil, grease or dirt. Recommended mixture is 1 ounce per 1 quart of water. Not to be used with copper or silver based films.

# CLEANING/PREP & CHEMICALS




**GT2013 TINT SLIME-GALLON**
**GT2022 TINT SLIME-32 OZ**
Tint Slime is a window tint mounting & cleaning solution. Tint Slime can be used to install automotive window tint, paint protection film, flat glass film, and vinyl. Tint Slime is free of particulates and won't separate. Tint Slime is safe for use on interiors, biodegradable, and of course, tint safe. Concentrate; mix 1 ounce per 1 gallon of water.




**GT2013U TINT SLIME ULTRA-GALLON**
**GT2022U TINT SLIME ULTRA-32 OZ**
Tint Slime Ultra is a higher rated slip designed to function in high heat and high humidity installs. Tint Slime Ultra is not designed to perform as well as regular Tint Slime in climate controlled areas. Mix 1 ounce per 1 gallon of water.




**GT2013C TINT SLIME CLEAR-GALLON**
**GT2022C TINT SLIME CLEAR-32 OZ**
Tint Slime Crystal is just like regular Tint Slime with a twist. It does NOT include the dye but does include preservatives that will help combat micro-organisms that grow in tanks. Mix 1 ounce per 1 gallon of water.



**GT2119 SPIDER SPIT-GALLON**
A specially created formula for application of PPF and wet install vinyl films. Contains no particulates, no degreasers, lanolin or harsh chemicals that weaken the performance of your products. Slips when you need it to and tacks quickly. Mixing ration: 1 ounce per gallon of water. Distilled water works best!




**GT1040 RAPID REMOVER-GALLON**
**GT1039 RAPID REMOVER-32 OZ**
A non-toxic, water-soluble adhesive remover that breaks down and removes adhesive fast. Ready-to-use.



**GT1041 RAPID TAC II-32 OZ**
Great adhesive promoter even in cold weather conditions. A great solution for dot matrix areas or vinyl products.




**GT2010 TINT OFF-QUART**
**GT2009 TINT OFF-GALLON**
Ready-to-use and specially formulated for the window film industry to make tint removal a snap.



**GT1035 BLUE SLIP UP-GALLON**
Slip agent to aid in window film installation. Mix 8 ounces with 1 gallon water to serve as a conditioner or cleaner.



**GT1036 SIMPLE PINK ADHESIVE REMOVER-GALLON**
Adhesive remover. Can be used full strength or 2-3 parts water.

## TOOL TIP

There are many ways to clean and prepare automotive glass, no matter what the circumstance always test the product of your choice in an inconspicuous area to prevent potential damage.

## TOOL TIP

Always error on the side of caution when using chemicals. Be sure to protect your skin as well as any surfaces the product may come in contact with.

# CLEANING/PREP & CHEMICALS




**GT070 LOW LINT WIPES**
Center Pull Towels, 2 Ply, 8" x 605', 660 sheets/roll, 3" core diameter.

**GT072 WIPE DISPENSER**
For use with GT070.




**GT085 WHITE SCRUB PAD**
**GT085 THK 1" THICK SCRUB PAD**
Great for cleaning windows prior to installation and prepping dot matrix areas.



**GT1066 COPPER MESH PAD**
The Copper Mesh Pad is for dot matrix prep ONLY! It will ABSOLUTELY scratch glass.




**GT2120B SCRUB-IT BLUE W/BLUE PAD**
**GT2120G SCRUB-IT GREEN W/BLACK PAD**
The SCRUB-IT is a hand-held scrubbing tool that uses the leverage of the back of your hand to clean contaminants or adhesive residue from glass. The SCRUB-IT allows you to use your hand to reach in most places and scrub evenly throughout. Scrub-It is a one size fits all as it can be adjusted to all hand sizes with the attached velcro strap.

***Please make sure to check newer vehicles for factory coatings that are applied to the inside of the glass that might be damaged by the SCRUB-IT.**




**GT2121B SCRUB-IT REPL. PAD-BLUE (10 PACK)**
The SCRUB-IT replacement pads come in a 10 pack. The blue pads are used for removing adhesive residue from glass. The pads are made of scratch resistant material but use with caution. Test on a small part of glass before use as not all glass is made the same!




**GT071 SUPER PREP TOWELS**
Virtually lint free usable wipes. 240 towels per box.




**GT209 THE SCRUBBER**
Used to reach behind speakers and brake lights. Scrub away adhesive along the bottom edges of sloped rear windows. Uses replaceable standard White Scrub Pads (GT085) cut 2" x 3". This tool is 3" by 15" long.

## TOOL TIP

Low lint towels or wipes are a necessity for quality window film installations. Absorbent wipes are ideal for cleaning windows and covering hard cards for bumping or wicking around the film edge.

# SLITTERS & ACCESSORIES



**TOOL TIP**

The GT911 Film Handler will reduce waste, save labor and help complete jobs in a more timely manner. They can also be wall mounted for use in automotive applications.

**GT911 72" FILM HANDLER**
The GT911 Film Handler comes standard with 2 each Cutter Head Assembly (GT912), 2 each 3" Roller Assembly (GT904) and one pack of blades (GT943).
LADDER NOT INCLUDED




**GT940 FILM HANDLER REPAIR KIT**
Repair kit includes two 2 1/4" springs, two thumb screws and one 5/8" spring loaded teflon tip screw.

**GT943 FILM HANDLER REPLACEMENT BLADES**
20 blades per cartridge.




**GT912 FILM HANDLER CUTTER HEAD ASSEMBLY**
This is the base and the swivel head of the blade holder.

**GT986 FILM HANDLER BLADE HOLDER**
The swivel head portion of the blade holder.




**GT913 6" ROLLER ASSEMBLY**
Use for security film on 6" cores. Comes with 12" risers to accomodte rolls of film on 6" cores. Sold as a pair (2).

**GT904 3"ROLLER ASSEMBLY**
Standard roller assembly on Film Handler. These are 6" risers and will accommodate film on 3" cores. Sold as a pair (2).





**GT1012 1/4" SHIM FOR 6" HUBS**

**GT941 1/8" SHIM FOR 3" HUBS**
**GT942 1/4" SHIM FOR 3" HUBS**
Sold as eaches (1).




**GT822 72" BOX SLITTER CHANNEL**
72" aluminum U-channel for sliding over the edge of a film box to serve as a straight edge when making horizontal cuts (across the web width) after pulling film out to desired length. Handy for in-field work. Saves the cost of more expensive film cutters. Blade Holder (GT821) sold separately.

**GT821 BLADE HOLDER FOR GT822**
Use any 9mm blade. Blade not included.




**GT1002 CLEAN CUT BOX SLITTER**
Available in 36", 48", 60" and 72" sizes. Each bar has a ruler across the top edge for precise measuring and placement of the Cutter Head. **Cutter Head Sold Separately.**



**GT1002CH CLEAN CUT CUTTER HEAD ASSEMBLY**
Cutter head assembly for the clean cut box slitter. The Clean Cut Cutter Head is machined from composite with two neodymium magnets that provide tremendous attachment to the Clean Cut Bar.



**GT1002B CLEAN CUT REPLACEMENT BLADES**
A five pack of replacement blades for the Clean Cut Cutter Head (GT1002CH).



**GT1002T CLEAN CUT BOX TRAY**
Allows film boxes to be mounted on top of a ladder.

**TOOL TIP**

To prevent damage to your Film Handler cutter head/blade holder, always move the blade holder from the base not by the swivel head.

# METERS



**GT922 MT1581 NON-CONTACT THERMOMETER WITH LASER**
Reads temperatures of solid surfaces. Demonstrate difference once window film is applied to glass with new reading of solid surface. Not to be used on glass. Powered by two AA batteries. (included)





**GT2020 HEAT SHEET DEMO CARD**
Vibrantly changes color when it encounters heat. To demonstrate heat blocking capabilities of your glass or film, use the Demo Card in combination with a heat lamp.

**GT2019 HEAT SHEET ACRYLIC STAND**
Used to hold your Heat Sheet Demo Card in place to show heat transfer.



**GT963 UV LIGHT SOURCE LAMP**
Excellent tool to demonstrate, measure or show how much UV window films keep out. Powered by 4 "AA" alkaline batteries (NOT included).



**GT976 GLASS SAMPLE SET**
Conduct your sales demonstration effectively by including glass samples to help illustrate the benefits of film over standard glass. Includes 2 clear single pane, 2 clear IG and 2 low-E sets. Now 7" sample panes.



**GT961 INSULATED GLASS THICKNESS & GAP GAUGE**
Used to measure glass and air space thickness in sealed insulating glass units. Carrying case included. Powered by two standard "AAA" alkaline batteries (included).



**GT962N HEAT LAMP UNIT**
250 watt infrared heat lamp with metal cage for great tabletop presentations. Powered by 110 volt power cord. (Plug in).

**GT1014 BLUB FOR HEAT LAMP UNIT**




**GT2064 ENFORCER II**
The TM1000 Enforcer II is a light weight and pocket sized automotive tint meter. It comes equipped with a coin cell battery that will last for up to 2500 uses and is auto calibrating. Measures VLT on roll down windows only.




**GT238 TM2000 INSPECTOR II**
The TM2000 Inspector II is the newest in **two-piece** light meter technology allowing you to measure VLT on ALL windows in vehicles with auto calibration accurate to within +/- 2%. This meter is 75% smaller than older models and carries a 1 year manufacturer's warranty.




**GT2035 TINT-CHEK TC1800 AUTOMOTIVE METER**
Measures visible light transmission (VLT) on roll down windows. A smaller meter that fits comfortably into a shirt pocket. Tremendous reliability, ignoring ambient light. Calibrated to a NIST traceable standard.




**GT2036 TINT-CHEK + TC2800 AUTOMOTIVE METER**
Measures visible light transmission (VLT) on roll down windows. Includes ALL the benefits of the TC1800 (GT2035) plus features a backlit LCD display making it much easier to read in low light conditions. Reads to the nearest tenth percent for greater accuracy. Calibrated to a NIST traceable standard.




**GT239 TINT CHEK PRO TC3800 AUTOMOTIVE METER**
Measures visible light transmission (VLT) of automotive glass as well as any glass/film up to 1/4" or 6.5mm thick. The **two-piece** design allows for testing of the windshield, as well as rear and side windows. A single, extremely long lasting, 9-volt alkaline battery powers the electronics.




**GT975 STRENGTHENED GLASS DETECTOR**
Allows users to confirm if glass has been strengthened. The detector can test single panes of glass or multiple panes in a window at a single time, and from a single side.

# METERS



NOT ALL ITEMS SHOWN ARE INCLUDED IN KIT

**GT974SOFT PROFESSIONAL METER SALES KIT W/CASE**
Our UV & Solar Sales Presentation Kits offer a single source for convenient and convincing sales demonstrations. Kit Includes: GT968 Digital BTU & Trans-Meter, GT962N Heat Lamp Unit, GT973 UV Meter, GT963 UV Light Source Lamp, GT971 Soft Case with Strap.

**GT971 SOFT CASE**



**GT973 UV SENTRY METER**
Position the meter facing the UV source, such as sunlight or a heat lamp (GT962N), and turn the meter on. Place various materials between the meter and the UV source and the resulting UV Transmission percentage will be displayed. Powered by a 9-volt alkaline battery (included).




**GT967 SP1080 DIGITAL BTU SOLAR POWER METER**
This wide spectrum digital meter measures solar radiant energy intensity directly transmitted through glass (or the film-glass combination) in units of BTUs per square foot per hour or watts per square foot. Effective tool showing the relative effectiveness of various films in blocking solar radiant heat. Especially useful for showing how a very dark dyed film may allow far more energy to pass through than a much lighter metallic film. Can be switched to read in metric units. Powered by a 9-volt alkaline battery (included).




**GT968 SP2080 SOLAR TRANSMISSION & POWER METER**
Use this meter to evaluate solar performance. It provides excellent resolution, reading low light conditions more accurately than competitors, with no need for adjustments. The easy to read digital display toggles between power and transmission percentage mode. It's small, portable, and convenient to take out in the field. Can be switched to read in metric units. Powered by a 9-volt alkaline battery (included).

GT977









GT960

**GT977 XM1400 SOLAR & UV TRANSMISSION METER**
The XM1400 is able to calculate the Solar & UV Transmission percentages of glass, film, coatings, laminates or other materials.

**GT960 LOW-E COATING DETECTOR**
Detects the presence and location of thermal resistant coatings (LOW-E) used on energy efficient single and dual pane glass. Never requires calibration. Powered by a 9-volt alkaline battery (included).




**GT2034 SS2450 SOLAR SPECTRUM TRANSMISSION METER**
This device is the most accurate meter to date. It is the only meter calibrated to ISO9050, NFRC300 and EN410 standards. Effortlessly demonstrate six performance characteristics at a time including two IR measurements: UV, VIS, SOLAR, IR 900-1000 nm, and IR 780-1780 nm ensuring the complete picture of a window film's performance. Simply slide the glass sample into the opening and see the resulting values displayed. No additional light sources are needed. Everything is self-contained in a single convenient package to visualize the true performance of a glazing system; this meter is a must. Glass samples not included.




**GT982 SPECTRUM DETECTIVE METER**
Displays three ratings at a time: UV, Visible Light, and Infrared transmission values. Carrying case included. Powered by a 9-volt alkaline battery (included). Glass samples not included.

Tools

## FEATURED PRODUCT LINES

TRI-EDGE™ INDUSTRIES, LLC

EDTM Glass, Window & Film Test Equipment

ProToolsNow.com™ ONE GREAT SITE FOR TOOLING AROUND

NT Cutter® EVER NEW & EVER SHARP

Lidco

ACCUTEC BLADES

UNGER®

Triumph SCRAPERS

CLEANCUT Products

OLFA® Best made cutting tools in the world.®

Sprayway®

G.D.I. Tools®

145 Mountain Brook Dr. | Suite #100 | Canton, GA 30115
**Phone:** 770-345-1275 **Toll-free:** 877-GDI-Tool (434-8665)
**Fax:** 770-345-2394
**Email:** admin@gditools.com

gditools.com